



Showroom Locations

ydlstone.com.au



Inspired by Nature.
Designed for life.

Introducing YDL Porcelain

An exquisite range where style and durability come together. Our carefully curated range of porcelain stone solutions caters to a diverse array of design preferences and architectural needs. Designed for both indoor and outdoor spaces, our porcelain is a testament to resilience, making it ideal for applications ranging from kitchen benchtops, splash backs, bathroom vanities to wall paneling and building facades. With a variety of design options, coupled with strength and minimal maintenance, our porcelain applications are limitless. Explore the endless possibilities of porcelain stone with YDL and experience the perfect blend of aesthetics and versatility.

YDL Porcelain has been tested by the most respected industry bodies and environmental organisations to achieve the following certifications.



Product Features

- ECOLOGIC
- EASY TO CLEAN
- HEAT RESISTANT
- STAIN RESISTANT
- LIGHTWEIGHT
- UV STABLE
- WATER RESISTANT
- FROST RESISTANT
- CHEMICAL RESISTANT
- SCRATCH RESISTANT
- RESISTANCE TO BENDING
- MOULD, MILDEW, AND FUNGUS RESISTANT
- SUITABLE FOR USE INDOORS AND OUTDOORS
- HYGIENIC AND SUITABLE FOR CONTACT WITH FOOD
- HIGH RESISTANCE TO BREAKING LOAD

Dimensions

YDL Porcelain surfaces come in one large-scale size for a seamless kitchen experience.


- Size:3200mx1600mm
- Thickness:12mm
- Weight:150-160 kg
- Weight: /M2: 27-31 kg

WIDE SUPER SIZE SLABS




Edges

Selecting the ideal edge profile is crucial for enhancing your design style and aesthetic. It provides the essential finishing touches, perfectly complementing and optimizing your overall design.



Mitred



Aris

Comparative table

Porcelain slabs are an excellent choice for kitchen and bathroom surfaces, offering superior durability and resistance. They embody the key qualities sought in materials for these spaces, ensuring both longevity and safety.

TECHNICAL CHARACTERISTICS	YDL PORCELAIN	QUARTZ	LAMINATES & WOOD	SOLID SURFACE	NATURAL STONE	STEEL
Hygienic	★ ★ ★	★ ★ ★ ★	★	★ ★ ★ ★	★	★ ★ ★ ★
Suitable for use outdoors	★ ★ ★ ★	★ ★ ★ ★	★	★ ★ ★ ★	★	★ ★ ★ ★
Non porous	★ ★ ★ ★	★	★	★ ★	★ ★	★ ★
Resistant to heat and high temperatures	★ ★ ★	★ ★	★	★	★ ★	★ ★ ★ ★
Resistant to mold, mildew and fungus	★ ★ ★	★ ★ ★ ★	★ ★	★ ★ ★ ★	★	★ ★ ★ ★
Stain-proof	★ ★ ★	★ ★	★ ★	★ ★	★	★ ★ ★ ★
Detergent resistance	★ ★ ★	★ ★	★ ★	★	★	★
Chemical resistance	★ ★ ★	★ ★	★	★ ★	★	★ ★
Resistance to thermal shock	★ ★ ★	★ ★	★	★ ★	★ ★ ★ ★	★ ★ ★ ★
Frost resistance	★ ★ ★	★ ★ ★ ★	★	★	★ ★	★ ★ ★ ★
Dampness resistance	★ ★ ★	★ ★ ★ ★	★	★ ★ ★ ★	★	★ ★ ★ ★
UV resistance	★ ★ ★	★ ★	★	★	★ ★	★ ★ ★ ★
Scratch Resistance and Abrasion Resistance	★ ★ ★	★ ★	★	★	★ ★	★
Easy to clean	★ ★ ★	★ ★ ★ ★	★ ★	★ ★	★	★


FULL BODY VEIN TECH

Full-body vein technology enhances the authenticity of marble designs, offering designers greater creative liberty. This technique ensures seamless continuity in the appearance of surfaces, edges, and corners, making each project more visually coherent and realistic.



Colour Palette

M Matte P Polished  FULL BODY VEIN TECH
Slab Dimensions:1600mm×3200mm Thickness:12mm



Whitewash M




Black Noir M



Rustico M



Arabian Desert M



Vena Marquina M



Sempre Statuario P 



Ivory Travertine M



Babylon M




Everest White M



Infinity Calacatta M 



Lago Oro M 



Sempre Grigio M 

Whitewash

Discover the pristine white canvas that conveys the essence of authentic porcelain bisque. Delivered in a minimalist, neutral style, it lets in natural brightness to take the centre of the canvas.

AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm

Whitewash



Black Noir

A jet black stone with a sleek and minimalist allure.

AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Black Noir



Rustico

Uncover the concrete-porcelain blend: a light, textured surface resembling fresh cement, with grey grains and an ultra-rough finish.

AVAILABLE IN 3 PATTERNS



AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Rustico



Ivory Travertine

The Ivory Travertine is a warm creamy beige sand tone that transforms the textural presence of weathered stones, creating a natural toned effect quietly building a minimal design in layers of elegant simplicity.

AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Ivory Travertine



Babylon

Babylon exhibits an exquisite blend of soft whites, dusty greys, browns, and rust color that swirl together in a timeless marble pattern.

BOOKMATCHED



AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Babylon



Everest White

This stone has a snowy white background with prominent grey Calacatta veins flowing throughout it, giving it a striking and elegant look.

AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Everest White



Arabian Desert

Crafted with precision and artistry the warm, sandy background and intricate veins of rich brown and pristine white, this porcelain stone brings the desert landscape into your space.

AVAILABLE IN 3 PATTERNS



AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Arabian Desert




Vena Marquina

Uncover our exquisite black porcelain, infused with arbitrary, vivid white veins, creating a striking and elegant modern aesthetic.

AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Vena Marquina



Sempre Statuario

Experience the elegance of a pure white background adorned with dynamic grey veining. From bold, dramatic strokes accent by heavier tones to subtle wisps of soft greys delicately etched into the backdrop, our design offers a reined and versatile aesthetic.

 **FULL BODY VEIN TECH**

AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Polished

AVAILABLE THICKNESS
12mm



Sempre Statuario



Infinity Calacatta

The canvas predominantly features a pristine white background embellished with bold light grey accent veins. These beautiful Calacatta veins exhibit a diverse range of volumes, with some parts being bold and others soft.

 FULL BODY VEIN TECH

BOOKMATCHED



AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Infinity Calacatta



Lago Oro

Discover the elegance of our ivory based porcelain stone, enriched with intricate white charcoal engravings and subtle copper accents, achieving the timeless beauty of marble.

 FULL BODY VEIN TECH

AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Sempre Grigio

Uncover the rich dark grey base with contrasting white veins creating a captivating impact.

 FULL BODY VEIN TECH

AVAILABLE FORMAT
3200mm × 1600mm

AVAILABLE FINISH
Matte

AVAILABLE THICKNESS
12mm



Sempre Grigio



Care & Maintenance

YDL Porcelain is designed to offer high performance with very little maintenance to keep the surface looking like new.

For every day, routine cleaning of YDL Porcelain we recommend wiping your bench top with warm soapy water (a pH neutral household liquid detergent, or a mild detergent) and a damp cloth. As YDL Porcelain is non-porous product, it will keep its glossy and smooth surface without polishing and it never needs sealing or waxing.

YDL Porcelain does not recommend attempting to polish the surface on your own and avoid prolonged rubbing in one spot when cleaning. Rinse well with water. Do not use bleach or gumption on or near a YDL Porcelain surface.

*Express your interest
with YDL Porcelain*

We'd like to hear from you. For more product information or to request a product sample, please visit our website.

ydlstone.com.au

Food & Catering Preparation

YDL Porcelain always recommend cutting your food on an appropriate chopping board and never directly on the YDL Porcelain surface to avoid damaging kitchen knives or the surface of your bench top.

How Tough?

YDL Porcelain can be permanently damaged by exposure to strong chemical reactions and excessive weight. Avoid excessive weight being placed on your bench top, such as trades people standing on the bench top while doing other work. Avoid exposure to products with high alkaline/pH levels such as oven cleaner, paint strippers, paint removers, bleach and nail polish remover. Rinse immediately with clean water to neutralize the effect and then follow usual cleaning procedure.

For Interior and Exterior Applications

YDL Porcelain can be used for both indoors and outdoors applications. You will have versatile design options.

Heat Resistance

Although YDL Porcelain has high heat resistance to tolerate brief exposures to moderately hot temperatures, excessive prolonged direct contact with, or radiated heat may result in damage or discoloration to your YDL Porcelain due to thermal shock. We do not recommend placing any hot kitchen wares (hot oven trays, pans, hot pots, electric frying pans, air fryers etc.) directly from the hotplate or out of the oven onto the surface of YDL Porcelain. We always recommend the use of a hot pad or trivet to place hot items on.



YDL Porcelain 10 Year Limited Warranty

This warranty applies to YDL Porcelain surface (“Product”).

Warranty Inclusions

YDL Porcelain offers a 10 Year Limited Warranty to the original purchaser in respect of the slab, subject to the terms and conditions set out below.

Subject to the Warranty Exclusions set out below, this warranty covers defects in the Product arising from the manufacture of the original slabs of the Product only. This warranty does not cover any services provided in conjunction with or for the Product. Such services, including, but not limited to fabrication, installation, and associated workmanship, are not covered under this warranty.

Fading due to direct exposure to ultraviolet (UV) radiation, both inside and outside buildings.

This warranty is available only to the original purchaser of the Product and is not transferable to subsequent owners or purchasers.



YDL Porcelain warranty is limited to at their sole discretion.

- A) replacing the material,
- B) refunding the value of the material,
- C) repairing the material.

The warranty does not include any further costs of trades, damages, penalties, or any other materials.

Warranty Exclusions

- 1 Misuse or abuse (including damage caused by impact, discoloring caused by exposure to certain chemical reagents, and damage from exposure to excessive heat and weight).
- 2 The actual and final installed Product is not guaranteed to be an exact colour-match to Product samples or printed sample facsimiles or displayed or illustrated material. The Product is made from natural materials and some colour variation will occur between batches. The appearance of each slab will also vary depending upon lighting conditions, placement, and viewing angle. This warranty does not apply to Product variations in the colour, background tone, mineral distribution, and reflectivity within or on the surface of the Product, as these are inherent in the manufacturing process and are a natural characteristic of the Product. It is recommended for the customer to view the whole slab before any colour selection.
- 3 Failure or dissatisfaction with the appearance of joints or seams, or of any adhesive, caulking materials, damage resulting due to accessory items installed. Failure caused by inadequate sub-structure support and substrate materials, including joints and seam failure.
- 4 For the products not paid in full.
- 5 Damage caused by an act of nature.
- 6 The Product is removed from its original place of installation.
- 7 Any modification or alteration to the Product including product thickness.
- 8 The installations such as boats and recreational vehicles.

- 9 Fireplaces are not covered as a result of variations in design and heat output.
- 10 This warranty does not apply if the Product is not fabricated/ installed by a licensed, qualified stonemason.
- 11 The Product is a very hard material and highly scratch resistant, however it is not scratch proof, and this warranty does not apply to scratches which appear on the Product where proper care has not been exercised.
- 12 Chips, cracks, or any other impact damage: Chipping is not a material fault: it is normally a direct result due to impact to the edge of the surface.
Cracks are not a material fault. They are not covered in the warranty and are usually a direct result of:
 - Excessive weight (sitting, climbing, or standing on the Product)
 - Excessive heat (trivets and hot pads should always be used)
 - Movement in joinery or house as a whole
 - "U" or "L" shaped cut out/improper fabrication and installation; Any crack emanating from a cook top cut-out or sink cut-out is not covered under this warranty, these are not caused by any fault in the Product.
- 13 Blemishes, such as blotches or spots, are inherent in the manufacturing process. In the event visual blemishes, blotches, or a concentration of color pigments are larger than 20mm in diameter, the contracted fabricator should report it to YDL Porcelain prior to fabrication. Warranty claim against color variation is based on the visual inspection of 1.5 meter away from the Product. Inspection of the slab is to be in a normal viewing position with the slab being illuminated by "non-critical light, "non-critical light" is defined as the light that strikes the surface is diffused and is not parallel or glancing to that surface.
- 14 The Product is not being cleaned in accordance with the YDL Porcelain Care and Maintenance Guide.
- 15 The use of other products and substances that contain trichloroethane or methylene chloride (such as paint removers or stripper) or cleaning agents that have high alkaline/pH levels.
- 16 Stains or discoloration is not covered. Although YDL Porcelain Product is stain resistant it is not stain proof. The likes of red wine, beetroot and other strong coloured items should be cleaned off the bench top straight away.



Fabricator Responsibilities

The fabricator shall at all times be solely responsible for inspecting the material to identify any minor aesthetic variations and it's suitability for the works to be carried out, prior to the fabrication process commencing. The fabricator must remove any plastic film prior to fabrication.

Time for Claim under the Warranty

Please address any claim in writing within 28 days of the occurrence to **warranty@ydlstone.com.au**
Limit of compensation - materials or material value only.

Statutory Rights

The terms and conditions set out in this document do not affect your statutory rights. The limitations on the Warranty set out in this document do not exclude or limit the application of the mandatory conditions or warranties implied by the Trade Practices Act 1974 or any other equivalent or corresponding legislation.

Basic Cleaning Requirements

Please refer to the full YDL Porcelain Care & Mainance Guide.

Warranty Registration

To register your warranty, please complete this form and mail it to us.
Alternatively, you can register online at www.ydlstone.com.au/warranty-registration

Name

Installation Address

City

Home Phone

Post Code

State

Mobile Phone

Email

YDL Porcelain (Product) Supplied By:

Retailer/Builder/Stonemason

Signature (required)

Colour Code

Colour Name

Installation Date

Batch Number

Please enclose the original purchase invoice along with this warranty registration form.

Product Application (Please tick):

- ☐ Kitchen bench top
- ☐ Bathroom vanity
- ☐ Wall lining
- ☐ Kitchen splashbacks
- ☐ Other