

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402904
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	09.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
202402315	YDL-SF 1016 Classic White	6.231	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402905
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	09.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023106	YDL-SF 2011 Jasmine	0.847	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402906
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	09.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023107	YDL-SF 2012 Mondo Sand	4.273	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402907
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	09.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023108	YDL-SF 3001 Silver Star White	4.158	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402908
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	09.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023109	YDL-SF 3002 Star Burst	9.712	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402909
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	10.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023110	YDL-SF 3004 Silver Star Black	1.263	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402910
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	10.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023111	YDL-SF 1000 Arctic White	0.824	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402911
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	10.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023112	YDL-SF 4300 Sabia	0.358	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter



## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402912
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023113	YDL-SF 4500 Smokey Grey	4.17	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402913
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023114	YDL-SF 4600 Rosemee	1.153	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402914
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023115	YDL-SF 7000 Semento	0.502	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402915
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023116	YDL-SF 7200 Fresco	2.036	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402916
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023117	YDL-SF 1110 Milky Way	0.405	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402917
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	15.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023118	YDL-SF 1222 Shadow Grey	0.814	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402918
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	16.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023119	YDL-SF 1666 Acqua Mare	1.034	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402919
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	16.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023120	YDL-SF 1700 Cloudy Grey	1.642	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter



## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402920
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	16.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023121	YDL-SF 1888 Kalala Bianco	0.510	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402921
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	16.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023122	YDL-SF 5500 Misty Dusk	0.955	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402922
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	17.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023123	YDL-SF 8627 Giusto	0.466	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402923
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	10.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023124	YDL-SF 8700 Calacatta Azuro	1.419	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402924
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	09.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023125	YDL-SF 9000 Calacatta Classico	10.67	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402926
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	09.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023127	YDL-SF 9191 Aurum White	2.736	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402926
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	09.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023127	YDL-SF 9191 Aurum White	2.736	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402927
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	17.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023128	YDL-SF 9200 Angel Falls	0.390	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter



## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402928
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	17.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023128	YDL-SF 9902 Summer Breeze	2.691	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402929
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	17.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023130	YDL-SF 9906 Nuvola Snow	0.742	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402930
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	10.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023124	YDL-SF 9718 Astoria	0.699	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402931
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	10.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023132	YDL-SF 9911 Statuario Enzo	2.995	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402932
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	18.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023133	YDL-SF 9933 Cumulus Cloud	0.227	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Jacob Jones

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402933
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	18.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023134	YDL-SF 9937 Jade Sky	0.401	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Jacob Jones

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402934
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	18.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023135	YDL-SF 9955 Blanco Verona	2.475	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Jacob Jones

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402935
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	18.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023136	YDL-SF 9958 Chantilly	4.108	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Jacob Jones

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter



## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402936
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	18.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023137	YDL-SF 9966 Venatino	5.854	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Jacob Jones

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402937
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023138	YDL-SF 9977 Ice Drift	0.452	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402938
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023139	YDL-SF 9999 Vene Rose	0.562	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402939
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023140	YDL-SF SE01 Blanco Divino	0.449	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:** 

**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402940
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023141	YDL-SF SE02 Mount Triumph	7.235	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402941
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	12.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023142	YDL-SF SE03 Supernova	1.171	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402942
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	16.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023143	YDL-SF SE05 Alpana Ash	1.204	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:**



**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter

## Respirable Crystalline Silica Report

<b>Project:</b>	YDL Stone -Mineral Silica-Free Surface	<b>Lab Reference:</b>	2402943
<b>Date Sampled:</b>	28.06.2024	<b>Client:</b>	YDL Australia Pty Ltd
<b>Date Received:</b>	28.06.2024	<b>Address:</b>	65 Babbage Dr, Dandenong South VIC 3175
<b>Date of test:</b>	16.07.2024		
<b>Analysis Required:</b>	Respirable Silica		
<b>Analytical Method:</b>	RCS-P-01		

Lab ID	Sample ID	Dust weight (mg)	Respirable Crystalline Silica (mg)		Percentage concentration (%)
			α-Quartz (mg)	Cristobalite (mg)	
2024023144	YDL-SF SE08 Mahal Ivory	1.317	<0.5	<0.5	<1.0

**Result Authorised By**

**NAME:** Krista Johnston

**Signature:** 

**Remarks:**

Sydney Laboratory Services is responsible for all the information in the report, except that provided by the customer. All sampling information included in the report has been provided by customer.

Sample analysed as received.

One set of quality control filters (blanks and internal standards) is included per batch, or per 20 samples, whichever is fewer, and the results are recorded and monitored.

Samples are stored for minimum period of 1 month if longer time is not advised by client.

**Method Description:** Crystalline silica in respirable airborne dust

**Method No.** RCS-P-01

PQL for quartz is 0.5mg, Cristobalite 0.5mg / 25mm PVC filter