

# SAFETY DATA SHEET

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name NATURAL STONE - QUARTZITE

Synonyms N/A

1.2 Uses and uses advised against

Uses BENCHTOPS ● BUILDING MATERIAL

Natural stone can be used for a wide range of applications within the building materials sector such as benchtops, tiles, cladding and general building materials, however there can be specific external factors relating to your project which could influence the suitability of this product to your desired application. We recommend that you contact YDL Stone to discuss your project requirements further to ensure your specified

product is suitable.

1.3 Details of the supplier of the product

Supplier name YDL AUSTRALIA PTY LTD

Address 65 Babbage Drive, Dandenong South, VIC, 3175, AUSTRALIA

**Telephone** 03 9551 1688

Emailinfo@ydlstone.com.auWebsitehttp://www.ydlstone.com.au

1.4 Emergency telephone numbers

**Emergency** 03 9551 1688

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**Physical Hazards** 

Not classified as a Physical Hazard

**Health Hazards** 

Carcinogenicity: Category 1A

Specific Target Organ Toxicity (Repeated Exposure): Category 1

**Environmental Hazards** 

Not classified as an Environmental Hazard

2.2 GHS Label elements

Signal word DANGER

**Pictograms** 

**Hazard statements** 

H350i May cause cancer by inhalation.

H372 Causes damage to organs through prolonged or repeated exposure.

Page 1 of 6



SDS Date: 20 Feb 2025

Revision No: 1

#### PRODUCT NAME **NATURAL STONE - QUARTZITE**

#### **Prevention statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection for particles (P3/N95 or higher).

#### Response statements

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage statements

P405 Store locked up.

**Disposal statements** 

P501 Dispose of contents/container in accordance with relevant regulations.

#### 2.3 Other hazards

The solid product as supplied is classified as non-hazardous under normal conditions and does not present an inhalation, ingestion, skin, or eye hazard. However, dust created when the product is cut, grinded or machined may cause mechanical irritation and may contain crystalline silica, some of which may be respirable. Repeated exposure to respirable crystalline silica dust may cause lung fibrosis (silicosis). NOTE: The classifications provided are reflective of the product once dust is generated.

# 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	238-878-4	100%

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

(Dust exposure) Flush gently with running water, irrigating under eyelids. Seek medical attention if irritation Eye

develops.

(Dust exposure) If inhaled remove from contaminated area. Apply artificial respiration if not breathing. Inhalation Skin (Dust exposure) Gently flush affected areas with water. Seek medical attention if irritation develops.

Due to product form and application, ingestion is considered unlikely. Ingestion

First aid facilities Eye wash facilities and safety shower should be available, particularly when dust is generated.

#### 4.2 Most important symptoms and effects, both acute and delayed

This product may present a hazard if cut or drilled with dust generation. CAUTION: Repeated exposure to dust may cause lung fibrosis (silicosis).

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

## 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

#### 5.3 Advice for firefighters

No fire or explosion hazard exists.

#### 5.4 Hazchem code

None allocated

ChemAlert. Page 2 of 6 Revision No: 1

SDS Date: 20 Feb 2025

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

#### **6.2 Environmental precautions**

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Solid slabs can be collected for disposal or re-use. If dust is generated during the fabrication process, use a high efficiency particulate air (HEPA) filter vacuum system or dampen the dusts, and sweep wet material for disposal. Do not sweep dry material.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Ensure material is adequately labelled and protected from physical damage. Avoid generating dust.

#### 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Exposure standards**

Ingredient	Reference	TWA		STEL	
ingredient	Reference	ppm	mg/m³	ppm	mg/m³
Quartz (respirable dust)	SWA [AUS]		0.05		
Quartz (respirable dust) (Precautionary advice)	WorkSafe VIC		0.02		

#### **Biological limits**

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

Engineering controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Wet where possible. Maintain dust levels below the recommended exposure

standard.

**PPE** 

Eye / Face If cutting or sanding with potential for dust generation, wear dust-proof goggles.

**Hands** Wear leather or cotton gloves.

**Body** Not required under normal conditions of use.

Respiratory Avoid uncontrolled dry cutting, sanding, polishing, grinding or drilling, if alterations are unavoidable use a half

face (negative pressure) mask with minimum P2/N95 particle respirator & tools which have water suppression & on tool dust extraction with H class rating. Consultation with relevant State Worksafe offices

for further details is recommended.



# 9. PHYSICAL AND CHEMICAL PROPERTIES



SDS Date: 20 Feb 2025 Revision No: 1

Page 3 of 6

#### PRODUCT NAME **NATURAL STONE - QUARTZITE**

# 9.1 Information on basic physical and chemical properties

SOLID **Appearance ODOURLESS** Odour NON FLAMMABLE **Flammability** NOT RELEVANT Flash point NOT AVAILABLE **Boiling point NOT AVAILABLE** Melting point **NOT AVAILABLE** Evaporation rate **NOT AVAILABLE** pН Vapour density NOT AVAILABLE Relative density NOT AVAILABLE Solubility (water) **INSOLUBLE** Vapour pressure NOT AVAILABLE Upper explosion limit NOT RELEVANT Lower explosion limit NOT RELEVANT **Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE** Oxidising properties **NOT AVAILABLE Odour threshold NOT AVAILABLE** 

#### 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Incompatible with strong acids (e.g. hydrochloric acid).

### 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

This product is expected to be of low toxicity. Ingestion is considered unlikely due to product form. **Acute toxicity** 

Skin Mechanical irritant. Prolonged or repeated contact may result in mild irritation due to mechanical action.

Mechanical irritant. Due to product form and nature of use, the potential for exposure is reduced. Product Eye

may only present a hazard if material is cut, drilled or sanded with dust generation, which may result in

mechanical irritation.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen.

Adverse health effects, usually associated with long term exposure to high respirable crystalline silica quartz Carcinogenicity

dust levels are not anticipated due to product form. This product may only present a hazard if solid is cut or drilled with dust generation. Respirable crystalline silica quartz is classified as carcinogenic to humans (IARC

Group 1).

Reproductive Not classified as a reproductive toxin.

STOT - single Dust can be generated during cutting of the product. Dusts are mechanical irritants that may cause throat exposure

Adverse health effects, usually associated with long term exposure to high respirable crystalline silica quartz STOT - repeated exposure dust levels are not anticipated due to the product form. This product may present a hazard if cut or drilled

ChemAlert.

SDS Date: 20 Feb 2025 Revision No: 1

#### PRODUCT NAME NATURAL STONE - QUARTZITE

with dust generation. CAUTION: Repeated exposure to dust may cause lung fibrosis (silicosis).

**Aspiration** Not applicable for solids.

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

The substance is inert and there is no evidence of significant toxicity.

#### 12.2 Persistence and degradability

Being inorganic, the substance will not biodegrade.

# 12.3 Bioaccumulative potential

The substance is inert and will not be absorbed and accumulate in tissues.

#### 12.4 Mobility in soil

A low mobility would be expected in a landfill situation.

#### 12.5 Other adverse effects

The main component/s of this product are not anticipated to cause any adverse effects to plants or animals.

## 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

Waste disposal Reuse where possible. Dispose of in accordance with local regulations.

**Legislation** Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

#### 14.5 Environmental hazards

Not a Marine Pollutant.

#### 14.6 Special precautions for user

Hazchem code None allocated.

# 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

Some components are listed on AIIC, or are exempt.

#### 16. OTHER INFORMATION

**Additional information** 



SDS Date: 20 Feb 2025 Revision No: 1

#### PRODUCT NAME NATURAL STONE - QUARTZITE

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### HEALTH FEFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

# Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

## Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmtglobal.com Web: www.rmtglobal.com

[ End of SDS ]

Page 6 of 6



SDS Date: 20 Feb 2025

Revision No: 1